CAUTION: IN CASE OF EYE OR SKIN CONTACT FLUSH IMMEDIATELY AND THOROUGHLY WITH WATER FOR AT LEAST I 5 MINUTES. IF IRRITATION PERSISTS, GET PROMFT MEDICAL ATTENTION.

KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. IF SWALLOWED CONTACT YOUR LOCAL POISON CONTROL CENTER OR CALL I-800-222-1222

AMOUNT: WE RECOMMEND USING I-2 GALLONS PER SURFACE ACRE. IT CAN BE USED FULL STRENGTH, OR DILLUTED,

I PART FERTILIZER TO 3 FARTS WATER, ALL PONDS ARE DIFFERENT. THESE ARE THE PROCEDURES USED ON OUR FARMS. IT COULD TAKE MORE OR LESS FOR YOUR AREA, DEPENDING ON SOIL AND WATER CONDITIONS. THE BEST METHODS FOR USING THIS FERTILIZER IS TO BROADCAST BY SHORE OR BOAT.

NET WT II.O4 LBS

NET 128 FL OZ (I GALLON) (4. 12 KG)

DUNN'S "TROPHY GROWER" LIQUID POND FERTILIZER GRADE 10-34-0

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 10% 10% Ammoniacal Nitrogen

AVAILABLE PHOSPHATE (P2O5) 34%

Derived From:

Ammonium Phosphate, Ammonium Polyphosphates

Information regarding the contents and levels of metals in this product is available on the internet at www.dunnsfishfarm.com



APPLICATION:

- I. FIRST APPLICATION SHOULD BEGIN WHEN WATER TEMPERATURE REACHES 60 DEGREES.
- WAIT TEN DAYS AND THEN MAKE A SECOND APPLICATION, REPEAT AGAIN IN ANOTHER TEN DAYS.
- 3. AFTER THE THIRD APPLICATION HAS
 BEEN MADE WAIT THREE WEEKS AND APPLY
 FERTILIZER AGAIN. WAIT THREE MORE
 WEEKS AND RE-APPLY.
- 4. FERTILIZATION WILL PROBABLY BE NECESSARY AFTER THESE APPLICATIONS, EVERY MONTH. STOP FERTILIZING AFTER WATER TEMPERATURE REACHES BELOW 65 DEGREES.

NCTE: THIS PRODUCT IS INTENDED TO BE USED IN PONDS OR LAKES. NCT TO BE USED IN FREE FLOWING WATER, STREAMS, RIVERS, CREEKS, ETC.

CAUTION: IF OXYGEN DEPLETION SHOULD ARISE, DISCONTINUE USE UNTIL RESOLVED. IN LOW WATER CONDITIONS, CUT BACK OR DISCONTINUE. DO NCT FERTILIZE DURING MUGGY, OVERCAST WEATHER CONDITIONS.